



Platnost od 1.3.2019

	Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
ZR - Traktorové radiální pneumatiky (přední + zadní)											
16"	285/80R16 MPT		126G	AC70 G	TL	501151540000		8590341075420	33,600	0,218	10 030
	200/70R16		94A8/94B	AC70 T	TL	501151541000		8590341074669	13,930	0,094	6 680
	240/70R16		104A8/104B	AC70 T	TL	501151542000		8590341074676	19,500	0,162	7 810
	260/70R16		109A8/109B	AC70 T	TL	501151543000		8590341074683	23,400	0,162	8 590
	265/70R16 MPT		114G	AC70 G	TL	501151539000		8590341075413	26,900	0,161	9 140
	280/70R16		112A8/112B	AC70 T	TL	501151538000		8590341074690	27,400	0,211	9 020
	320/65R16		117D/120A8	AC65	TL	501151544000		8590341089328	36,500	0,229	15 380
17"	425/55R17 MPT		134G	AC70 G	TL	400634184000		8590341075437	53,000	0,349	15 830
18"	280/70R18		114A8/114B	AC70 T	TL	400634176000		8590341074706	28,800	0,300	10 030
	325/70R18 MPT		125G	AC70 G	TL	2000043411000		8590341075444	44,300	0,270	14 380
	365/70R18 MPT		132G	AC70 G	TL	2000043412000		8590341075451	53,500	0,352	15 830
20"	275/80R20 MPT		131G	AC70 G	TL	2000043414000		8590341075468	48,100	0,253	13 930
	280/85R20		112A8/112B	AC85	TL	400634050000		8590341072313	42,000	0,290	10 590
	335/80R20 MPT		134G	AC70 G	TL	200004340000		8590341075475	63,300	0,346	16 930
	425/75R20 MPT		148G	AC70 G	TL	400634096000		8590341075635	71,800	0,571	23 070
	260/70R20		113A8/113B	AC70 T	TL	400634185000		8590341091673	30,700	0,211	10 480
	280/70R20		116A8/116B	AC70 T	TL	400634177000		8590341074911	31,300	0,280	10 700
	300/70R20		110A8/110B	AC70 T	TL	400634171000		8590341074928	36,000	0,270	11 600
	320/70R20		113A8/113B	AC70 T	TL	400634178000		8590341074935	39,800	0,306	12 600
	360/70R20		120A8/120B	AC70 T	TL	400634069000		8590341074539	50,200	0,395	14 490
	375/70R20 MPT		136G	AC70 G	TL	2000043404000		8590341075482	61,000	0,428	18 390
	380/70R20		122A8/122B	AC70 T	TL	400634025000		8590341071644	54,500	0,442	15 710
	405/70R20 MPT		136G	AC70 G	TL	200004346000		8590341075499	65,700	0,482	20 060
	420/65R20		125D/128A8	AC65	TL	400634104000		8590341076731	60,200	0,476	16 270
	420/65R20		125D/128A8	AC65 N	TL	400634170000		8590341091628	59,400	0,448	16 160
22.5"	445/65R22.5 MPT		160G	AC70+	TL	2000043402000		8590341075505	101,300	0,613	32 330
24"	280/85R24		115A8/115B	AC85	TL	400634026000		8590341071651	42,400	0,354	10 700
	320/85R24		122A8/122B	AC85	TL	400634027000		8590341071668	52,700	0,459	12 040
	340/85R24		125A8/125B	AC85	TL	400634028000	00643602000	8590341071675	59,900	0,521	13 480
	380/85R24		131A8/131B	AC85	TL	400634029000		8590341071682	74,600	0,615	15 600
	420/85R24		137A8/137B	AC85	TL	400634030000		8590341071699	84,700	0,792	19 730
	500/85R24 IMP		171A8/158A8	SFT	TL	400634203000		8590341072320	128,800	1,055	35 110
	500/85R24 IMP		177A8/165A8	SFT	TL	400634201000		8590341070487	128,800	1,055	36 780
	500/85R24 IMP		182A8/161A8	SFT	TL	400634221000		8590341103727	136,000	1,055	40 130
	320/70R24		116D/119A8	HC70	TL	400634143000		8590341089212	43,800	0,408	14 150
	320/70R24		116A8/116B	AC70 T	TL	400634063000		8590341073815	43,400	0,383	13 150
	360/70R24		122D/125A8	HC70	TL	400634138000		8590341081353	60,000	0,484	14 820
	360/70R24		122A8/122B	AC70 T	TL	400634070000		8590341074546	60,000	0,476	15 270
	380/70R24		125D/128A8	HC70	TL	400634124000		8590341078346	67,700	0,578	17 390
	380/70R24		125A8/125B	AC70 T	TL	400634071000		8590341074553	67,300	0,531	16 270
	380/70R24		125A8/125B	AC70 G	TL	400634084000		8590341075512	62,800	0,538	16 380
	405/70R24		149G	AC70 G	TL	400634085000		8590341075529	73,200	0,559	23 070
	420/70R24		130A8/130B	AC70 G	TL	400634086000		8590341075536	72,500	0,665	18 390
	420/70R24		130D/133A8	HC70	TL	400634121000		8590341078315	78,500	0,708	20 510
	420/70R24		130A8/130B	AC70 T	TL	400634072000		8590341074560	81,300	0,679	18 280
	445/70R24 MPT		151G	AC70 G	TL	400634087000		8590341075543	87,800	0,665	29 530
	460/70R24 IMP		163A8	AC70 G	TL	400634209000		8590341089489	85,100	0,674	22 960
	480/70R24		138D/141A8	HC70	TL	400634144000		8590341089229	97,400	0,900	26 520
	480/70R24		138A8/138B	AC70 G	TL	400634032000		8590341071811	92,000	0,828	23 630
	495/70R24 MPT		155G	AC70 G	TL	400634088000		8590341075550	106,500	0,828	33 220
	500/70R24 IMP		164A8/155A8	AC70 G	TL	400634207000		8590341077929	106,000	0,828	33 220
	500/70R24 IMP		167A8/155A8	AC70 G	TL	400634224000		8590341114785	106,900	0,828	32 460
	440/65R24		128D/131A8	AC65	TL	400634105000		8590341076748	73,900	0,652	19 840



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
	480/65R24	133D/136A8	AC65	TL	#006341060000		8590341076755	81,800	0,769	22 850
	540/65R24	140D/143A8	AC65	TL	#006341070000		8590341076762	96,700	0,934	29 430
	540/65R24	146D/149A8	AC65	TL	#006341080000		8590341076786	100,100	0,934	30 430
25"	1000/50R25	172A8/166D	SFT	TL	#006431310000		8590341099365	294,456	2,873	167 190
	1000/50R25	175D/178A8	SFT	TL	#006431300000		8590341096760	381,984	2,873	172 760
26"	620/75R26	166D/169A8	SFT	TL	#006431170000		8590341091321	200,135	1,590	69 100
	750/65R26	166D/169A8	SFT	TL	#006431050000		8590341075932	225,118	1,920	84 250
28"	280/85R28	118A8/118B	AC85	TL	#006340520000		8590341072344	46,100	0,420	11 260
	320/85R28	124A8/124B	AC85	TL	#006340530000		8590341072412	59,500	0,534	12 700
	340/85R28	127A8/127B	AC85	TL	#006340310000		8590341071705	65,200	0,604	15 050
	380/85R28	133A8/133B	AC85	TL	#006340180000	#006436050000	8590341071378	81,200	0,749	17 280
	420/85R28	139A8/139B	AC85	TL	#006340330000		8590341071828	93,200	0,918	22 400
	VF 420/82R28	151D	HC2000	TL	#006341930000		8590341100528	112,400	0,825	34 040
	500/80R28 IMP	176A8/164A8	SFT	TL	#006342020000		8590341070456	133,800	1,125	40 130
	500/80R28 IMP	182A8/162A8	SFT	TL	#006342220000		8590341103741	139,700	1,125	44 580
	380/70R28	127D/130A8	HC70	TL	#006341390000		8590341081360	70,900	0,676	21 960
	380/70R28	127A8/127B	AC70 T	TL	#006340730000		8590341074577	71,100	0,609	18 730
	420/70R28	133D/136A8	HC70	TL	#006341220000		8590341078322	90,400	0,825	22 960
	420/70R28	133A8/133B	AC70 T	TL	#006340740000		8590341074096	86,300	0,765	21 520
	420/70R28	133A8/133B	AC70 G	TL	#006340890000		8590341075567	77,900	0,760	21 620
	440/70R28	152A8/152B	AC70 G	TL	#006340900000		8590341075574	94,900	0,760	29 310
	480/70R28	140D/143A8	HC70	TL	#006340510000		8590341072337	106,600	1,038	28 640
	480/70R28	140A8/140B	AC70 T	TL	#006340340000		8590341071835	99,500	0,962	27 530
	600/70R28	157D/160A8	SFT	TL	#006341300000		8590341079404	178,300	1,538	51 270
	600/70R28	161D/164A8	SFT	TL	#006341270000		8590341078551	178,300	1,538	52 940
	440/65R28	131D/134A8	AC65	TL	#006341090000		8590341076793	82,600	0,764	22 520
	480/65R28	136D/139A8	AC65	TL	#006341100000		8590341076809	91,100	0,894	23 970
	540/65R28	142D/145A8	AC65	TL	#006341110000		8590341076915	106,500	1,081	32 330
	540/65R28	142D/145A8	SFT	TL	#006341480000		8590341089281	117,500	1,163	33 550
	600/65R28	147D/150A8	AC65	TL	#006340190000		8590341071439	136,000	1,345	42 350
	600/65R28 IMP	168A8/156A8	AC65	TL	#006342040000		8590341074027	143,600	1,345	52 940
	600/65R28	154D/157A8	SFT	TL	#006340350000		8590341071842	154,600	1,408	46 260
30"	420/90R30	147A8/147B	AC85	TL	#006431220000		8590341093622	109,560	0,960	28 970
	380/85R30	135A8/135B	AC85	TL	#006340370000	#006436100000	8590341071910	86,000	0,806	21 730
	420/85R30	140A8/140B	AC85	TL	#006340170000	#014381420000	8590341071385	98,800	0,985	23 840
	460/85R30	145A8/145B	AC85	TL	#006340380000		8590341071927	118,700	1,186	30 100
	500/85R30 IMP	176A8/164A8	SFT	TL	#006342100000		8590341091116	153,300	1,299	48 040
	620/75R30	163D/166A8	SFT	TL	#006341670000		8590341090850	217,000	1,675	61 310
	620/75R30	166D/169A8	SFT	TL	#006343180000		8590341113696	210,000	1,675	61 140
	620/75R30 IMP	180A8/168A8	SFT	TL	#006342120000		8590341091369	207,800	1,675	64 640
	420/70R30	134D/137A8	HC70	TL	#006341400000		8590341081377	92,300	0,854	25 520
	420/70R30	134A8/134B	AC70 T	TL	#006340750000		8590341074102	92,300	0,854	24 410
	480/70R30	141D/144A8	HC70	TL	#006341410000		8590341081391	118,700	1,059	29 200
	480/70R30	152D/155A8	HC70	TL	#006341860000		8590341096753	129,400	1,059	31 440
	480/70R30	141A8/141B	AC70 G	TL	#006340910000		8590341075581	105,500	1,058	28 430
	480/70R30	141A8/141B	AC70 T	TL	#006340760000		8590341074812	108,500	1,099	28 090
	495/70R30 MPT	147G	AC70 G	TL	#006340920000		8590341075598	124,700	1,058	42 910
	VF 600/70R30	165D	HC2000	TL	#006343010000		8590341101488	181,200	1,457	67 990
	600/70R30	152D/155A8	SFT	TL	#006340660000	#006435630000	8590341074409	171,700	1,642	55 730
	620/70R30 IMP	178A8/166A8	SFT	TL	#006342050000		8590341074423	200,100	1,642	63 530
	620/70R30 IMP	178A8/166A8	SFT N	TL	#006342110000		8590341091352	196,300	1,642	62 420
	540/65R30	150D/153A8	AC65	TL	#006340610000		8590341073419	118,300	1,192	35 110
	540/65R30 IMP	168A8/156A8	AC65	TL	#006342060000		8590341076816	128,300	1,192	40 670
	540/65R30	150D/153A8	SFT	TL	#006340620000		8590341073426	130,100	1,231	39 020

ve vývoji

Ve vývoji



prodejní sklad: +420 566 520 182
 obchodní úsek: +420 566 524 236
 prodej pneumatik: +420 733 700 715
 fax: +420 226 015 351



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
		155D	HC2000	TL	#006341950000		8590341100542	150,000	1,178	55 290
		161D	HC2000	TL	#006343210000		8590341116949	150,000	1,178	54 890
		149D/152A8	AC65	TL	#006341470000		8590341089250	143,800	1,447	45 130
		182A8/165A8	SFT	TL	#006342140000		8590341093417	235,400	2,014	66 320
		180A8/162A8	SFT	TL	#006342130000		8590341090898	220,800	2,058	65 770
		162D/165A8	SFT	TL	#006341500000		8590341089519	220,800	2,058	65 770
		159D/162A8	SFT	TL	#006341490000		8590341089304	193,300	1,607	61 310
		162D/165A8	SFT	TL	#006340200000		8590341071453	221,100	1,871	65 770
32"		136A8/136B	AC85	TL	#006340010000		8590341070142	57,500	0,513	15 500
		134A8/134B	AC85	TL	#006340460000		8590341072078	72,000	0,642	17 390
		142A8/142B	AC85	TL	#006340090000		8590341070524	64,400	0,544	15 710
		145A8/145B	AC85	TL	#006343190000		8590341113702	64,400	0,544	15 450
		173A8/170B	AC70 G	TL	#006340400000		8590341071866	260,500	2,452	88 050
		178A8/175B	AC70 G	TL	#006340410000		8590341071873	271,900	2,452	93 630
		178A8/175B	CHO AC70 G	TL	#006340980000		8590341076663	284,600	2,452	119 260
		131A8/128B	AC90	TL	#006340080000		8590341070517	44,000	0,417	14 050
		167A8	AC75 G	TL	#006341550000		8590341089717	212,500	2,052	64 640
		172A8/169B	AC70 G	TL	#011515020000	#006341190000	8590341077622	219,400	2,053	66 760
		167A8/164B	AC70 H	TL	#011514910000		8590341071934	231,800	2,083	65 770
		175A8/172B	SFT	TL	#006340820000		8590341074799	321,500	2,775	122 600
		175A8/172B	CHO SFT	TL	#006340830000		8590341075116	360,200	2,775	127 060
		188A8/185B	SFT	TL	#006340070000		8590341070432	438,400	3,585	188 370
		182A8/179B	CHO SFT	TL	#006341320000		8590341080721	431,300	3,585	206 200
		167A8/164B	AC70 H	TL	#006341590000	#006435170000	8590341070852	302,200	2,617	80 350
		172A8/169B	AC70 H	TL	#006341600000	#006435260000	8590341070869	304,500	2,617	80 800
		178A8/175B	AC70 N	TL	#006340420000		8590341071880	291,600	2,418	90 840
		200A8	CFO HC3000F	TL	#006343060000		8590341108265	499,800	4,309	161 700
		176A8/173B	SFT	TL	#006340430000	#006435280000	8590341071897	329,100	3,148	146 010
		181A8/178B	SFT	TL	#006431370000		8590341101181	350,154	3,148	153 140
		176A8/173B	CHO SFT	TL	#006341020000		8590341076700	339,600	3,148	169 410
		178A8/178B	SFT	TL	#006340540000		8590341072429	449,600	3,750	176 100
		188A8/185B	SFT	TL	#006431060000		8590341076496	570,450	4,780	223 910
		194A8/191B	SFT	TL	#006431070000		8590341076502	560,000	4,780	225 820
34"		133A8/133B	AC85	TL	#006340020000		8590341070159	71,100	0,674	17 610
		146A8/146B	AC85	TL	#006340210000		8590341071477	93,800	0,924	22 520
		149D	HC2000	TL	#006341920000		8590341100511	102,200	0,881	28 460
		142A8/142B	AC85	TL	#014401430000	#006341640000	8590341071101	108,000	1,126	25 850
		147A8/147B	AC85	TL	#006341650000	#006436280000	8590341071118	112,600	1,126	27 650
		154D	HC2000	TL	#006341990000		8590341100337	121,400	1,046	32 290
		147A8/147B	AC85	TL	#006341740000		8590341071729	128,500	1,349	32 330
		178A8/166A8	SFT	TL	#006342080000		8590341078544	162,500	1,424	54 620
		178B	CFO HC3000	TL	#006431360000		8590341100351	244,910	1,808	91 390
		143D/146A8	HC70	TL	#006340550000		8590341072436	129,600	1,285	32 880
		143A8/143B	AC70 T	TL	#006340770000		8590341074829	117,000	1,191	32 110
		143A8/143B	AC70 G	TL	#006340930000		8590341075604	109,200	1,191	32 210
		148D/151A8	HC70	TL	#006341450000		8590341089236	143,700	1,516	42 350
		148A8/148B	AC70 T	TL	#006340780000		8590341074836	136,000	1,393	37 790
		148A8/148B	AC70 G	TL	#006340940000		8590341075611	130,200	1,393	37 890
		145D/148A8	AC65	TL	#006341120000		8590341076922	122,600	1,356	36 780
		151D/154A8	AC65	TL	#006341130000		8590341076939	154,400	1,641	47 940
		161D/164A8	SFT	TL	#006341510000		8590341089526	220,400	2,030	74 890
		159D/162A8	SFT	TL	#006340670000		8590341074478	217,000	1,771	77 130
		164D/167A8	SFT	TL	#006340650000		8590341074140	234,200	2,037	82 260
36"		134A8/131B	AC90	TL	#006340100000		8590341070531	48,700	0,495	14 380



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
38"	13.6R36	127A8/124B	AC90	TL	#006341690000		8590341091611	71,600	0,738	16 160
	380/95R38	147D/150A8	AC85	TL	#006341090000		8590341077615	99,282	1,057	32 880
	VF 380/95R38	154B	HC2000	TL	#006341140000		8590341081469	125,700	0,976	41 900
	15.5R38	134A8	AC51	TL	#006341830000		8590341096128	99,400	0,955	27 530
	320/85R38	143A8/143B	AC85	TL	#006340680000		8590341074485	73,800	0,715	19 280
	340/85R38	133A8/133B	AC85	TL	#006340580000		8590341072566	82,900	0,869	19 510
	340/85R38	148A8/148B	AC85	TL	#006340060000		8590341070081	89,300	0,869	21 060
	420/85R38	144A8/144B	AC85	TL	#006340440000		8590341071903	116,900	1,272	29 200
	460/85R38	149A8/149B	AC85	TL	#006341290000	#006436090000	8590341071736	139,500	1,530	34 890
	520/85R38	155A8/155B	AC85	TL	#014404370000		8590341070968	182,100	1,899	46 810
	650/85R38	173D/176A8	SFT	TL	#006341530000	#006435650000	8590341071743	330,900	2,955	117 040
	380/80R38	142A8/142B	AC85	TL	#006340480000	#006436270000	8590341072108	93,600	0,921	25 850
	680/80R38	179D/182A8	CHO SFT	TL	#006341660000		8590341091345	323,400	2,479	118 140
	650/75R38	169D/172A8	SFT	TL	#006341160000		8590341076960	265,800	2,451	104 770
	480/70R38	145D/148A8	HC70	TL	#006341420000		8590341081384	140,500	1,459	36 000
	480/70R38	145A8/145B	AC70 T	TL	#006340790000		8590341074843	124,500	1,369	33 330
	VF 480/70R38	172D	HC2000	TL	#006343070000		8590341111500	154,500	1,235	55 320
	520/70R38	150D/153A8	HC70	TL	#006341230000		8590341078339	152,400	1,706	43 480
	520/70R38	150A8/150B	AC70 T	TL	#006340800000		8590341074850	144,700	1,569	40 670
	520/70R38	150A8/150B	AC70 G	TL	#006340950000		8590341075628	137,900	1,569	40 800
	580/70R38	155D/158A8	HC70	TL	#006341460000		8590341089243	196,600	2,083	59 630
	580/70R38	155A8/155B	AC70 T	TL	#006340810000		8590341074867	181,900	1,949	55 180
	710/70R38	166D/169A8	AC65	TL	#006341630000	#006435570000	8590341071132	262,500	2,315	93 070
	710/70R38	171D/168E	SST	TL	#006343150000		8590341113153	270,000	2,315	94 680
	710/70R38	166D/169A8	SFT	TL	#006341180000		8590341077141	294,700	2,859	100 310
	710/70R38	171D/174A8	SFT	TL	#006341610000		8590341090119	304,500	2,859	102 540
	800/70R38	173D/176A8	SFT	TL	#006341200000	#006431100000	8590341077912	375,200	3,133	117 040
	800/70R38	178D/181A8	SFT	TL	#006340220000	#006437630000	8590341071507	375,200	3,133	120 920
	800/70R38	178D/181A8	CHO SFT	TL	#006341010000		8590341076694	417,900	3,133	162 730
	800/70R38	181D/184A8	CHO SFT	TL	#006341880000		8590341100115	417,900	3,133	164 950
	540/65R38	147D/150A8	AC65	TL	#006341140000		8590341076946	132,600	1,535	42 910
	600/65R38	153D/156A8	AC65	TL	#006341150000		8590341076953	165,700	1,858	50 720
	600/65R38	153D/156A8	SST	TL	#006341560000		8590341089731	170,900	1,857	64 090
	650/65R38	157D/160A8	AC65	TL	#006341620000	#006435560000	8590341071149	195,100	2,165	64 090
	650/65R38	166D/169A8	AC65	TL	#006341040000		8590341075925	206,614	2,165	70 780
	650/65R38	157D/160A8	SST	TL	#006341570000		8590341089748	220,500	2,115	78 470
	650/65R38	157D/160A8	SFT	TL	#006341520000		8590341089540	207,800	2,275	69 770
	900/60R38	172D/175A8	SFT	TL	#006340230000		8590341071613	400,600	3,632	158 270
	900/60R38	178D/181A8	SFT	TL	#006340240000		8590341071293	400,600	3,632	166 080
	900/60R38	178D/181A8	CHO SFT	TL	#006341030000		8590341076717	419,100	3,632	190 590
	900/60R38	181D/184A8	CHO SFT	TL	#006341890000		8590341100122	419,100	3,632	192 830
42"	300/95R42	147A8/144B	AC90	TL	#011514960000		8590341070548	75,000	0,768	22 740
	320/90R42	151A8/151B	AC85	TL	#011515350000		8590341107725	94,500	0,647	53 190
	IF 320/90R42	155B	AC85	TL	#011515360000		8590341107749	98,400	0,647	57 450
	300/85R42	144A8/141B	AC90	TL	#011514950000		8590341070371	67,500	0,647	20 290
	520/85R42	162A8/162B	AC85	TL	#006341170000		8590341076977	203,200	2,115	57 960
	VF 520/85R42	174B	HC2000	TL	#006341280000		8590341096739	241,695	2,021	83 590
	VF 520/85R42	177B	CFO HC3000	TL	#006341320000		8590341099730	242,053	2,021	86 930
	580/85R42	163D/166A8	SFT	TL	#006341030000		8590341074874	241,000	2,300	105 880
	580/85R42	168D/171A8	SFT	TL	#006341010000		8590341071941	240,954	2,300	80 850
	VF 580/85R42	183B	CFO HC3000	TL	#006341330000		8590341099761	274,173	2,153	91 390
	480/80R42	151A8/151B	AC85	TL	#006341730000	#006433930000	8590341072047	152,100	1,710	44 030
	680/80R42	180D/183A8	SFT	TL	#006341260000		8590341078537	344,800	2,899	133 750
	680/80R42	180D/183A8	CHO SFT	TL	#006341250000		8590341078520	360,500	2,899	150 470



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
	650/75R42	165D/168A8	SFT	TL	006341540000		8590341089588	268,000	2,627	112 580
	710/75R42	175D/172E	SST	TL	006343170000		8590341113177	370,000	3,406	147 170
	710/75R42	175D/178A8	SFT	TL	006340590000		8590341072542	364,300	3,406	151 590
	710/70R42	173D/170E	SST	TL	006343160000		8590341113160	366,600	3,140	132 340
	710/70R42	173D/176A8	SFT	TL	006340600000	006435790000	8590341073143	344,200	3,140	134 870
	VF 710/70R42	190B	CFO HC3000	TL	006341360000		8590341081452	350,000	2,942	156 030
	VF 710/70R42	179D	HC2000	TL	006343020000		8590341101495	341,600	2,942	147 130
	800/70R42	182D/185A8	CHO SFT	TL	006341680000		8590341091383	454,100	3,555	161 620
	650/65R42	165D/168A8	AC65	TL	006340560000		8590341072528	226,600	2,379	79 800
	650/65R42	165D/168A8	SST	TL	006341580000		8590341089755	241,700	2,379	93 630
	VF 650/65R42	170D	HC2000	TL	006341940000		8590341100535	248,400	2,366	117 040
	900/60R42	180D/183A8	SFT	TL	006340640000		8590341074133	427,300	3,885	167 190
	900/60R42	183D/186A8	CHO SFT	TL	006341870000		8590341099808	452,300	3,885	178 330
46"	320/95R46	152A8/152B	AC85	TL	006341910000		8590341100320	95,000	0,959	33 430
	380/90R46	149A8/149B	AC85	TL	006340130000	006340130000	8590341070555	121,400	1,325	35 560
	380/90R46	159A8/159B	AC85	TL	006340140000	006340140000	8590341070562	132,800	1,325	37 790
	VF 380/90R46	173D	HC1000	TL	006431110000		8590341078568	142,083	1,325	56 280
	520/85R46	158A8/158B	AC85	TL	006341750000	006436230000	8590341070913	207,100	2,299	69 100
	480/80R46	158A8/158B	AC85	TL	006340570000	006436290000	8590341072559	175,800	1,846	52 270
	VF 480/80R46	164D	HC2000	TL	006341970000		8590341100566	196,900	1,742	57 100
	VF 480/80R46	175D	HC2000	TL	006343080000		8590341111517	205,900	1,742	58 510
	710/65R46	174D/177A8	SFT	TL	006431120000		8590341079763	316,570	2,575	147 130
	IF 710/65R46	183D	SFT	TL	006431200000		8590341093219	331,550	2,575	150 470
48"	270/95R48	144A8/141B	AC90	TL	006340150000		8590341070579	76,300	0,812	23 630
	340/90R48	154A8/154B	AC85	TL	006341900000		8590341100313	106,700	1,164	35 670
50"	VF 380/105R50	176D	HC1000	TL	006431250000		8590341093646	178,471	1,557	61 860
	480/95R50	164D/167A8	AC85	TL	006431020000		8590341074508	203,400	1,924	60 180
	VF 480/95R50	170B	HC2000	TL	006431150000		8590341081513	237,871	1,997	86 040
	320/90R50	150A8/150B	AC85	TL	006340040000		8590341070173	108,300	1,126	36 340
	380/90R50	151A8/151B	AC85	TL	006340450000		8590341072016	130,000	1,385	36 670
	380/90R50	160A8/160B	AC85	TL	006340360000		8590341072023	142,400	1,385	41 010
	480/80R50	159A8/159B	AC85	TL	006340490000	006434930000	8590341072115	177,400	1,924	54 950
	VF 480/80R50	181D	HC1000	TL	006431390000		8590341101563	214,613	1,933	72 340
54"	VF 320/105R54	169D	HC1000	TL	006431380000		8590341101556	157,649	1,295	60 640
	380/105R54	162D/164B	AC85	TL	006431160000		8590341090836	176,869	1,794	50 160
	VF 380/105R54	168B	HC2000	TL	006431260000		8590341096098	188,305	1,618	65 200
	320/90R54	151A8/151B	AC85	TL	006431230000		8590341070180	121,620	1,252	38 120
	380/90R54	152A8/152B	AC85	TL	006431240000		8590341093639	146,853	1,385	46 810
TZD - Traktorové záběrové pneumatiky (diagonální)										
24"	8.3-24	6PR	TD-02	TT	5001500110000	013089930000	8590341005250	22,100	0,196	6 200
	9.5-24	8PR	TD-02	TT	5001500214000	013090390000	8590341005212	27,200	0,252	5 460
	11.2-24	8PR	TD-02	TT	013092230000		8590341005175	32,700	0,326	6 830
	11.2-24	8PR	TD-19	TT	013092290000		8590341039835	32,700	0,326	6 400
	11.2-24	8PR	TD-19	TL	013092310000		8590341097453	36,900	0,326	7 140
	11.2-24	10PR	TD-19	TL	013092330000		8590341040138	42,500	0,326	8 650
	12.4-24	8PR	TD-02	TT	013094230000		8590341005120	39,700	0,397	8 200
	12.4-24	8PR	TD-19	TT	5001504700000	013094280000	8590341039842	39,700	0,397	8 300
	12.4-24	12PR	TD-19	TL	5001514720000	013094430000	8590341040121	49,700	0,397	9 830
	14.9-24	8PR	TD-02	TT	013098230000		8590341005045	54,200	0,567	10 400
	14.9-24	8PR	TD-19	TT	5001504200000		8590341039637	51,100	0,531	9 370
	16.9-24	8PR	TD-02	TT	013101260000		8590341004932	66,600	0,720	12 080
	16.9-24	8PR	TD-13	TT	013101290000		8590341039736	75,800	0,738	12 080
26"	18.4-26	12PR	TD-19	TL	5001510916000		8590341033413	85,100	0,887	15 550

Ve vývoji



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019	
28"	23.1-26	14PR	TD-01	TL	013201710000		8590341004635	150,700	1,389	30 800	
	11.2-28	8PR	TD-02	TT	013201820000		8590341004611	37,200	0,385	8 200	
	12.4-28	6PR	TD-19	TT	5001501225000		8590341039163	42,800	0,457	7 830	
	12.4-28	8PR	TD-02	TT	013201880000		8590341004598	43,300	0,470	8 640	
	12.4-28	10PR	TD-19	TT	5001501222000		8590341040961	48,200	0,457	8 640	
	13.6-28	6PR	TD-19	TT	5001501329000		8590341039774	50,300	0,561	9 380	
	14.9-28	8PR	TD-19	TT	5001501432000		8590341039187	56,100	0,638	9 570	
	16.9-28	8PR	TD-13	TT	5001501538000		8590341039743	75,000	0,788	13 080	
	16.9-28	10PR	TD-02	TT	5001504770000		8590341004550	76,100	0,831	13 260	
	16.9-28	10PR	TD-13	TT	5001501533000		8590341039750	74,900	0,788	13 260	
30"	16.9-30	8PR	TD-13	TT	5001501740000	013202860000	8590341038609	79,800	0,883	13 200	
	16.9-30	8PR	TD-17	TT	5001501748000		8590341039675	96,100	0,884	16 240	
	16.9-30	10PR	TD-13	TT	013202930000	6001501741000	8590341055477	80,500	0,885	13 200	
	16.9-30	10PR	TD-17	TT	5001504210000		8590341039682	99,300	0,884	17 370	
	16.9-30	12PR	TD-13	TT	5001501743000		8590341055453	80,700	0,885	13 240	
	18.4-30	8PR	TD-13	TT	5001501854000		8590341038647	94,200	1,081	15 130	
	18.4-30	12PR	TD-13	TT	5001501850000	013203200000	8590341038630	95,400	1,081	15 460	
	18.4-30	14PR	TD-13	TT	5001501851000		8590341047113	106,800	1,081	18 430	
32"	9.5-32	6PR	TD-13	TT	5001502061000		8590341041029	31,200	0,363	6 860	
	12.4-32	6PR	TD-13	TT	5001502158000		8590341033383	47,700	0,544	9 570	
34"	16.9-34	8PR	TD-02	TT	013203310000		8590341004468	84,000	1,018	15 370	
	16.9-34	8PR	TD-17	TT	5001504030000		8590341039699	105,800	1,018	19 780	
	16.9-34	10PR	TD-02	TT	013203540000		8590341004451	84,300	1,018	15 780	
	18.4-34	8PR	TD-19	TT	5001502370000		8590341039651	107,000	1,159	17 560	
	18.4-34	10PR	TD-19	TT	5001502366000		8590341055460	107,000	1,159	17 800	
	18.4-34	12PR	TD-02	TT	5001504800000		8590341004420	99,000	1,211	18 350	
	18.4-34	12PR	TD-19	TT	5001502367000		8590341039668	107,200	1,159	18 350	
36"	12.4-36	6PR	TD-13	TT	5001502671000		8590341040978	52,600	0,627	9 730	
	12.4-36	12PR	TD-13	TT	5001504540000		8590341066657	65,400	0,627	11 920	
	13.6-36	6PR	TD-13	TT	5001502774000		8590341033406	65,800	0,769	11 570	
38"	12.4-38	8PR	TD-17	TT	5001502878000		8590341033390	63,600	0,718	11 470	
	13.6-38	6PR	TD-02	TT	5001504790000		8590341004413	66,100	0,794	11 920	
	13.6-38	6PR	TD-13	TT	5001502979000		8590341039767	68,100	0,820	11 920	
	13.6-38	14PR	TD-13	TT	5001504550000		8590341066664	88,400	0,820	16 590	
	14.9-38	6PR	TD-05	TT	013205490000		8590341050557	77,900	1,002	15 200	
	15.5-38	8PR	TD-05	TT	013205610000		8590341050564	82,900	0,988	17 280	
	16.9-38	8PR	TD-13	TT	5001503081000		8590341041005	92,800	1,143	16 860	
	18.4-38	8PR	TD-19	TT	5001503183000		8590341041012	107,400	1,324	19 950	
TP - Traktorové přední pneumatiky (diagonální)											
16"	4.00-16	4PR	TF-02	TT	2000052520101		8590341102928	4,870	0,044	1 640	
	4.50-16	4PR	TF-02	TT	2000052526101		8590341102935	5,180	0,052	1 760	
	5.00-16	4PR	TF-02	TT	2000052532101		8590341102942	6,110	0,065	1 870	
	6.00-16	6PR	TF-01	TT	2000061083101		8590341017482	9,590	0,090	2 100	
	6.00-16	6PR	TF-02	TT	2000052535101		8590341102959	9,600	0,089	2 100	
	6.00-16	6PR	TF-03	TT	5001504610000	00006111410	8590341017321	9,590	0,090	2 100	
	6.00-16	6PR	TF-06	TT	2000052041101		8590341040763	9,590	0,090	2 100	
	6.00-16	záběrové	6PR	TD-13	TT	2000052047101		8590341040824	9,410	0,090	2 310
	6.50-16	6PR	TF-02	TT	2000052552101		8590341102966	10,850	0,101	2 460	
	6.50-16	6PR	TF-03	TT	2000061410101		8590341016706	12,620	0,100	2 460	
	6.50-16	6PR	TF-05	TT	2000052049101		8590341040831	12,620	0,100	2 460	
	6.50-16	8PR	TF-03	TT	2000052322101		8590341040855	12,860	0,101	2 560	
	6.50-16	záběrové	8PR	TD-10	TL	2000052106101		8590341096135	13,330	0,100	3 110
	7.50-16	6PR	TF-01	TT	2000061436101		8590341016638	12,970	0,130	2 460	



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
7.50-16		6PR	TF-02	TT	200005256210		8590341102973	13,690	0,133	2 700
7.50-16		6PR	TF-03	TT	500150580000000006144410		8590341016621	14,610	0,130	2 620
7.50-16		6PR	TF-05	TT	200005205710		8590341040848	12,970	0,130	2 520
7.50-16	<i>záběrové</i>	6PR	TD-13	TT	200005206110		8590341040817	12,970	0,130	2 650
7.50-16		8PR	TF-03	TT	500150579000000006144210		8590341062703	16,440	0,130	3 160
7.50-16		8PR	TF-02	TT	200005256610		8590341102980	13,650	0,133	3 110
9.00-16		6PR	TF-03	TT	200006119710		8590341035455	22,500	0,171	3 870
9.00-16		8PR	TF-03	TT	200006119610		8590341066701	25,100	0,171	4 460
10.00-16		8PR	TF-03	TT	5001505300000		8590341004222	27,600	0,203	6 100
18" 6.00-18		6PR	TF-03	TT	200006114010		8590341017291	10,810	0,100	2 310
6.00-18		6PR	TF-04	TT	200005207310		8590341040800	11,070	0,100	2 310
20" 6.50-20		6PR	TF-03	TT	200005232010		8590341033222	15,700	0,134	2 870
6.50-20		6PR	TF-04	TT	200005209310		8590341040794	15,700	0,134	2 870
6.50-20		6PR	TF-05	TT	200005209510		8590341040787	15,700	0,130	2 870
7.50-20		6PR	TF-01	TT	200006146010		8590341016546	16,000	0,170	2 950
7.50-20		6PR	TF-03	TT	200006146210		8590341016539	17,900	0,170	3 150
7.50-20		6PR	TF-05	TT	200005211210		8590341040770	16,000	0,170	2 950
7.50-20	<i>záběrové</i>	6PR	TD-13	TT	200005212610		8590341040756	16,000	0,170	3 130
8.3-20	<i>záběrové</i>	6PR	TD-13	TT	200005232410		8590341033239	17,000	0,170	3 580
TI - Traktorové průmyslové pneumatiky - radiální										
18" 340/80 R18 IND		143A8	TI-20	TL	200004316010		8590341053039	54,200	0,430	16 130
24" 460/70 R24 IND		159A8	TI-22	TL	014360850000		8590341045768	86,100	0,703	22 410
26" 480/80 R26 IND		160A8	TI-20	TL	014360870000		8590341033444	121,800	1,020	26 290
28" 440/80 R28 IND		156A8	TI-20	TL	014371390000		8590341033437	106,100	0,930	24 410
TI - Traktorové průmyslové pneumatiky - diagonální										
18" 320/80-18 IND	12.5/80-18	12PR/138/125A	TR-09	TL	013082930000		8590341110831	44,300	0,273	8 240
320/80-18 IND S11	12.5/80-18	12PR/138/125A	TR-09	TL	013082950000		8590341110848	44,300	0,273	8 240
340/80-18 IND	12.5-18	10PR/131D	MPT-04	TL	011303100000		8590341111432	48,400	0,308	10 320
340/80-18 IND	12.5-18	12PR/134D	MPT-04	TL	011304100000		8590341111449	48,600	0,308	10 450
340/80-18 IND	12.5-18	16PR/144D	MPT-04	TL	011304170000		8590341111456	48,800	0,308	10 880
20" 340/80-20 IND	12.5-20	10PR/132D	MPT-04	TL	011307700000		8590341111463	50,800	0,338	10 610
340/80-20 IND	12.5-20	12PR/135D	MPT-04	TL	011309080000		8590341111470	51,000	0,338	10 880
360/85-20 IND	14.5-20	12PR/139D	MPT-04	TL	011312300000		8590341111487	56,800	0,402	11 990
360/85-20 IND	14.5-20	14PR/142D	MPT-04	TL	011313680000		8590341111494	57,100	0,402	12 100
400/75-20 IND	16.0/70-20	14PR/150/138A	TR-09	TL	013084770000		8590341110855	68,000	0,439	11 940
400/70-20 IND	16/70-20	14PR/148D	MPT-04	TL	011317360000		8590341111715	62,800	0,431	12 140
22.5" 480/65-22.5 IND	18-22.5	16PR/163A8	MPT-06	TL	014202690000		8590341111722	88,000	0,606	18 000
24" 400/80-24 IND		162A8	TI-05	TL	013101190000		8590341045737	88,300	0,559	20 180
400/70-24 IND	405/70-24	14PR/151D	MPT-04	TL	011322280000		8590341112347	77,800	0,563	16 160
400/70-24 IND	405/70-24	156B	MPT-04	TL	011322290000		8590341112354	78,000	0,563	16 350
16.9-24 IND S116		12PR/149A8	TI-04	TL	5001510790000		8590341004901	79,200	0,694	14 790
16.9-24		12PR/149A6	TG-1	TL	5001514320000		8590341039729	70,500	0,694	14 520
17.5L-24		10PR/144A8	TI-02	TL	013101710000		8590341004871	70,100	0,642	15 720
17.5L-24 S116		10PR/144A8	TI-02	TL	013101720000		8590341004864	70,100	0,642	15 720
460/70-24 IND		159A8	TI-05	TL	013101910000		8590341048714	100,100	0,685	21 880
19.5L-24 S116		12PR/151A8	TI-05	TL	013102640000		8590341004796	96,300	0,770	20 180
19.5L-24		12PR/151A8	GRIP-n-RIDE	TL	5001511720000		8590341066046	86,800	0,789	15 840
500/70-24 IND		164A8	TI-05	TL	013103080000		8590341045751	101,400	0,855	24 170
26" 18.4-26 S116		12PR/156A8	TI-06	TL	5001510992000	013103560000	8590341004765	91,100	0,901	17 830
28" 16.9-28 S116		12PR/152A8	TI-06	TL	013104240000		8590341004666	87,700	0,802	17 540
16.9-28		12PR/151A6	TG-1	TL	5001511535000		8590341040985	75,900	0,773	14 850
30" 440/80-30 IND	16.9-30 IND	14PR/154A8	TI-09	TL	013203130000		8590341110862	104,200	0,879	19 320
Agro Forestry										



Platnost od 1.3.2019

	Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
24"	380/85-24	14.9-24	137A8	AF-01	TT	5001504520000		8590341066602	62,900	0,531	16 190
28"	380/85-28	14.9-28	139A8	AF-01	TT	5001504530000		8590341066619	71,600	0,638	18 190
30"	16.9-30		12PR	TL-01	TT	5001501744000		8590341039705	96,500	1,271	19 120
34"	420/85-34	16.9-34	147A8	AF-01	TT	5001504510000		8590341066596	113,700	1,011	26 640
	460/85-34	18.4-34	152A8	AF-01	TT	5001504500000		8590341066589	123,600	1,159	30 500
Komunální pneumatiky											
18"	340/80R18 IND		143A8/138D	HCM	TL	4006343200000		8590341114426	57,400	0,331	15 960
24"	360/80R24 IND		144A8/139D	HCM	TL	4006343110000		8590341111555	73,100	0,485	22 340
	440/80R24 IND		154D	HCM	TL	4006341790000		8590341096050	109,000	0,761	30 980
28"	400/80R28 IND		151D	HCM	TL	4006341810000		8590341096074	101,900	0,719	29 430
	440/80R28 IND		151D	HCM	TL	4006341960000		8590341100559	118,400	0,880	33 430
30"	540/65R30 IND		161A8/156D	HCM	TL	4006343100000		8590341111548	141,100	1,132	35 110
34"	440/80R34 IND		159A8/155D	HCM	TL	4006343130000		8590341111579	138,100	1,048	32 980
38"	480/80R38 IND		166D	HCM	TL	4006341800000		8590341096067	167,800	1,435	38 790
	540/80R38 IND		172D	HCM	TL	4006341820000		8590341096081	201,200	1,830	59 970
42"	650/65R42 IND		176A8/171D	HCM	TL	4006343120000		8590341111562	256,200	2,268	71 280
TS - Pneumatiky pro malé traktory											
8"	4.00-8		2PR	TS-01	TT	2000061011101		8590341017901	2,410	0,020	800
	4.00-8 REINF		2PR	TS-01	TT	2000061198101		8590341042873	2,680	0,021	890
10"	4.0-10		4PR	TS-03	TT	2000061206101		8590341017222	3,160	0,020	920
	5.0-10		2PR	TS-03	TT	2000061216101		8590341017215	4,550	0,030	1 130
	5.0-10		4PR	TS-03	TT	2000061222101		8590341017208	4,550	0,030	1 210
12"	5.00-12		2PR	TS-02	TT	5001506090000		8590341018519	5,250	0,040	1 470
	5.00-12		4PR	TS-02	TT	5001504410000		8590341018502	5,250	0,133	1 780
	5.00-12		6PR	TS-02	TT	5001506080000		8590341018526	5,380	0,040	1 830
	6.5/90-12 IMP	6.50/80-12	4PR	TS-06	TT	5001506100000		8590341108692	6,750	0,060	1 870
	6.5/90-12 IMP	6.50/80-12	6PR	TS-06	TT	5001506110000		8590341108708	6,930	0,060	1 920
	11.0/65-12		8PR	TD-10	TL	5001506210000		8590341096142	19,400	0,131	4 840
14"	6.50/75-14		4PR	TS-02	TT	5001506120000		8590341017161	6,830	0,050	1 780
15"	240/70-15		8PR	B3	TL	2000061052101		8590341096159	16,100	0,115	3 640
	5.00-15		4PR	TS-06	TT	5001506130000		8590341017154	5,880	0,050	1 660
	5.00-15		6PR	TS-06	TT	5001506140000		8590341017147	6,070	0,050	1 740
	6.5/90-15 IMP	6.50/80-15	4PR	TS-06	TT	5001506150000		8590341109224	8,030	0,076	2 000
	6.5/90-15 IMP	6.50/80-15	6PR	TS-06	TT	5001506160000		8590341109231	8,280	0,076	2 060
	6.5/90-15 IMP	6.50/80-15	8PR	TS-06	TT	5001506270000		8590341109217	9,260	0,076	2 420
	690X180-15		4PR	TS-07	TT	5001506260000		8590341017253	8,650	0,080	2 240
15.3"	10.0/75-15.3		8PR	TS-05	TL	2000061367101		8590341016881	20,420	0,161	4 130
	10.0/75-15.3		10PR	TS-05	TL	2000061369101		8590341016874	20,420	0,161	4 260
	11.50/80-15.3		10PR	TS-05	TL	5001516040000		8590341003874	25,900	0,210	5 550
	11.50/80-15.3		14PR	TS-05	TL	5001516050000		8590341003867	26,200	0,218	5 590
16"	6.00-16		6PR	TS-04	TT	2000061122101		8590341017314	9,590	0,090	2 100
	6.00-16		8PR	TS-04	TT	2000061132101		8590341017307	9,670	0,090	2 200
	7.50-16		6PR	TS-04	TT	2000061450101		8590341016577	12,970	0,130	2 680
	7.50-16		6PR	TS-04	TL	2000061449101		8590341016584	14,400	0,130	2 960
	7.50-16		8PR	TS-04	TT	2000061448101		8590341016591	12,850	0,130	2 820
	7.50-16		8PR	TS-04	TL	2000061447101		8590341016607	14,450	0,130	3 010
20"	7.50-20		6PR	TS-04	TT	2000061455101		8590341016553	16,000	0,160	3 140
Zemědělské radiální implementy											
17"	440/50 R 17 IMP		135D	AR-04	TL	4006342160000		8590341099679	52,600	0,500	17 010
	500/50 R 17 IMP		149D	AR-03	TL	4006342150000		8590341099662	49,300	0,434	15 020
18"	355/60 R 18 MPT		142J	AR-05	TL	2000043450000		8590341099112	42,300	0,279	12 910
22.5"	385/65 R 22.5		161F	AR-01	TL	2000043152101		8590341018625	83,900	0,447	21 120

Ve vývoji
Ve vývoji

Ve vývoji



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
445/65 R 22.5		169F	AR-01	TL	200004315810		8590341018618	97,200	0,600	23 350
460/65 R 22.5 IMP		168A8/156A8	AR-01	TL	200004370610		8590341074942	83,200	0,600	22 180
560/60 R 22.5		161D	AR-02	TL	101435196000		8590341003300	96,400	0,853	25 970
500/60 R 22.5 IMP		161D	Agriterra 02	TL	4006310130000		8590341095343	105,100	0,708	34 030
560/60 R 22.5 IMP		165D	Agriterra 02	TL	4006310080000		8590341090812	125,000	0,871	35 080
600/50 R 22.5 IMP		163D	Agriterra 02	TL	4006310090000		8590341090829	120,100	0,866	35 200
600/50 R 22.5 IMP		167D	Agriterra 02	TL	4006310120000		8590341095336	126,800	0,866	37 540
710/45 R 22.5 IMP		165D	Agriterra 02	TL	4006310110000		8590341090904	144,500	0,000	42 240
26.5 650/65 R 26.5 IMP		174D	Agriterra 02	TL	4006310040000		8590341081414	220,000	0,000	59 720
600/55 R 26.5 IMP		165D	Agriterra 02	TL	4006310010000		8590341050434	144,400	1,114	38 720
650/55 R 26.5 IMP		169D	Agriterra 02	TL	4006310100000		8590341090843	200,000	0,000	56 210
710/50 R 26.5 IMP		170D	Agriterra 02	TL	4006310020000		8590341055910	189,200	1,407	49 280
800/45 R 26.5 IMP		174D	Agriterra 02	TL	4006310070000		8590341089274	250,000	0,000	77 440
30.5 600/60 R 30.5 IMP		173D	Agriterra 04	TL	4006310170000		8590341108609	168,100	1,279	71 280
680/60 R 30.5 IMP		176D	Adriterra 03	TL	4006310150000		8590341103185	238,600	1,791	82 120
750/60 R 30.5 IMP		181D	Agriterra 03	TL	4006310060000		8590341089267	250,000	0,000	85 650
850/50 R 30.5 IMP		182D	Agriterra 02	TL	4006310050000		8590341081476	250,000	0,000	91 040
32" 800/65 R 32 IMP		185D	Agriterra 04	TL	4006310180000		8590341111586	210,000		76 600
Implementy - nosné pneumatiky										
10" 4.00-10		4PR	IM-06	TT	200006101810		8590341001450	1,880	0,020	630
12" 7.00-12		6PR	IM-11	TL	200006142610		8590341096166	9,410	0,820	2 240
10.0/80-12		8PR	IM-04	TT	5001506190000		8590341017819	11,260	0,130	2 630
10.0/80-12		8PR	IM-04	TL	5001514390000		8590341017826	11,760	0,133	2 560
10.0/80-12		10PR	IM-04	TL	5001515680000		8590341017710	12,970	0,130	2 700
10.0/80-12		8PR	IM-08	TL	5001516200000		8590341017796	9,770	0,140	2 420
14.5 200/60-14.5		10PR	IM-10	TT	5001506250000		8590341017260	10,260	0,070	2 500
200/60-14.5		10PR	IM-10	TL	5001516240000		8590341017277	10,840	0,070	2 670
15" 28x9.00-15		6PR	AC30	TT	200006176010		8590341102997	13,880	0,118	2 930
15.3 10.0/75-15.3		10PR	IM-04	TT	200006133010		8590341004345	13,600	0,152	2 930
10.0/75-15.3		12PR	IM-04	TT	200006134010		8590341001405	13,600	0,150	2 900
10.0/75-15.3		14PR	IM-04	TT	5001505760000	200006135010	8590341034212	13,600	0,150	2 960
10.0/75-15.3		14PR	IM-04 Reinf.	TT	200006139710		8590341016768	14,670	0,150	3 380
10.0/75-15.3		10PR	IM-04	TL	200006133110		8590341001412	15,010	0,150	3 190
10.0/75-15.3		12PR	IM-04	TL	200006134110		8590341001399	15,010	0,150	3 160
10.0/75-15.3		14PR	IM-04	TL	5001515770000	200006135110	8590341001375	15,010	0,150	3 220
10.0/75-15.3		18PR	IM-04	TL	5001515780000	200006136110	8590341016935	17,200	0,150	3 700
10.0/75-15.3		18PR	IM-04 Reinf.	TL	200006136310		8590341016911	17,000	0,150	3 990
11.5/80-15.3		10PR	IM-04	TT	5001504380000		8590341017581	18,600	0,200	3 640
11.5/80-15.3		12PR	IM-04	TT	5001505970000		8590341017567	18,500	0,200	3 670
11.5/80-15.3		14PR	IM-04	TT	5001505910000		8590341017543	18,500	0,200	3 730
11.5/80-15.3		16PR	IM-04	TT	5001505990000		8590341017529	19,900	0,200	3 970
11.5/80-15.3		16PR	IM-04 Reinf.	TT	5001506030000		8590341017390	21,200	0,200	4 670
11.5/80-15.3		10PR	IM-04	TL	5001515960000		8590341017574	19,700	0,200	3 820
11.5/80-15.3		12PR	IM-04	TL	5001515980000		8590341017550	20,000	0,200	3 850
11.5/80-15.3		14PR	IM-04	TL	5001515920000		8590341017536	20,000	0,200	3 990
11.5/80-15.3		16PR	IM-04	TL	5001515750000		8590341017512	20,800	0,200	4 220
12.5/80-15.3		14PR	IM-04	TL	1013307590000		8590341004246	24,000	0,209	5 340
15.5 400/60 -15.5		14PR	IM-07	TL	5001515230000	014315730000	8590341003386	30,100	0,266	6 570
400/60 -15.5		145A8	IM-07 Reinf.	TL	5001515320000	014315710000	8590341003393	31,700	0,266	6 920
400/60 -15.5		152A8	IM-07 Reinf.	TL	5001515340000	014315780000	8590341093318	36,000	0,268	7 860
16" 10.50-16		14PR	IM-01	TT	5001505310000	013308610000	8590341004215	31,200	0,216	6 860
11L-16		10PR	IM-05	TL	1013309530000		8590341041715	22,400	0,170	5 900
17" 15.0/55-17		10PR	IM-04	TL	1013309640000		8590341004178	28,900	0,238	6 610

Ve vývoji



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
15.0/55-17		14PR	IM-04	TL	013309710000		8590341004123	29,500	0,238	6 880
19.0/45-17		14PR	IM-04	TL	014309870000		8590341003461	40,700	0,338	10 000
19.0/45-17		18PR	IM-04	TL	014309900000		8590341054708	46,700	0,338	10 920
500/50-17		14PR	IM-07	TL	5001515240000	014309960000	8590341003430	47,400	0,396	10 860
500/50-17		18PR	IM-07	TL	5001515290000	014310000000	8590341041340	54,100	0,396	12 020
18" 12.5/80-18		14PR	IM-03	TT	013311370000		8590341004109	40,400	0,296	8 330
12.5/80-18		14PR	IM-04	TT	013311480000		8590341004093	34,000	0,274	7 030
12.5/80-18		16PR	IM-03	TT	013311830000		8590341004086	40,600	0,296	8 470
12.5/80-18		16PR	IM-04	TT	013311940000		8590341004079	34,200	0,274	7 300
13.0/65-18		16PR	IM-04	TT	013313630000		8590341004055	25,800	0,231	6 220
13.0/65-18		16PR	IM-04	TL	013313660000		8590341071262	29,900	0,231	7 270
360/95-18 IMP	13.00-18	12PR	IM-02	TT	013314700000		8590341108685	53,000	0,431	9 850
13.00-18 PRAKTIK		140K	T0 2	TT	013314260000		8590341003980	53,200	0,431	13 250
14.5/80-18		12PR	IM-03	TT	013314590000		8590341003966	49,000	0,357	10 360
22.5" 500/60-22.5		16PR	IM-09	TL	013314890000		8590341003942	73,600	0,629	17 600
550/60-22.5		16PR	IM-09	TL	013314980000		8590341003928	87,600	0,742	19 830
Implementy - záběrové pneumatiky										
15" 31X15.50-15		8PR	TR-06	TL	013302400000		8590341004390	26,900	0,214	6 180
31X15.50-15		8PR	TR-07	TL	013302630000		8590341004383	26,900	0,217	6 180
15.3" 10.0/75-15.3		10PR	TR-04	TT	2000061388101		8590341003881	18,100	0,161	4 000
10.0/75-15.3		10PR	TR-03	TL	2000061371101		8590341016850	20,460	0,161	4 400
10.0/75-15.3		10PR	TR-04	TL	2000061389101		8590341016782	19,590	0,161	4 380
10.0/75-15.3		12PR	TR-03	TL	2000061373101		8590341016836	20,730	0,160	4 440
10.0/75-15.3		14PR	TR-03	TL	2000061375101		8590341016812	20,730	0,160	4 650
11.5/80-15.3		10PR	TR-03	TL	5001516000000		8590341017499	25,250	0,210	5 340
11.5/80-15.3		14PR	TR-03	TT	5001506010000		8590341017451	24,000	0,210	5 080
11.5/80-15.3		14PR	TR-03	TL	5001516020000		8590341017444	25,510	0,210	5 430
15.5" 400/60-15.5 145A8		14PR	TR-08	TL	5001515280000	014109960000	8590341003706	31,700	0,266	7 310
400/60-15.5		14PR	TR-08	TL	5001515220000	014109950000	8590341003713	30,100	0,266	7 000
17" 15.0/55-17		10PR	TR-01	TL	014108140000		8590341003799	29,500	0,251	7 390
15.0/55-17		12PR	TR-01	TL	014108160000		8590341003775	29,700	0,251	7 510
15.0/55-17		14PR	TR-01	TL	014108240000		8590341003751	29,800	0,251	7 620
480/45-17 IMP		146A8/134A8	TR-01	TL	014309610000		8590341078261	47,000	0,347	12 780
17.5" 14-17.5 IMP		150B/139B	TR-10	TL	014108030000		8590341106896	36,600	0,263	7 430
18" 12.0/75-18		12PR	TR-03	TL	014109070000		8590341003744	34,400	0,227	7 730
12.0/75-18		12PR	TR-11	TL	014109300000		8590341003737	36,700	0,233	7 990
14.5/80-18		12PR	TR-05	TT	013314360000		8590341003973	53,700	0,368	11 780
275/80-18		10PR	TD-10	TL	013081560000		8590341098412	30,100	0,221	7 420
320/80-18		10PR	TD-10	TL	013310340000		8590341095572	41,800	0,302	9 370
20" 275/80-20 MPT		8PR	TD-10	TL	011305620000		8590341103482	32,100	0,262	9 970
275/80-20 MPT		12PR	TD-10	TL	011305850000		8590341103499	32,300	0,262	10 570
335/80-20 MPT		10PR	TD-10	TL	011310500000		8590341103505	48,600	0,333	11 730
365/80-20 MPT		10PR	TD-10	TL	011310590000		8590341103512	53,200	0,436	12 910
360/80-20		8PR	TD-10	TL	011310540000		8590341095565	53,200	0,436	12 080
400/70-20		14PR	TD-10	TL	014321500000		8590341090614	64,200	0,489	12 560
400/70-20		150B	TR-01	TL	013315230000		8590341003911	65,100	0,439	12 680
500/45-20 IND		160A8	TI-12	TL	014110010000		8590341107022	63,100	0,403	14 360
500/45-20 IMP		162A8/150A8	TR-12	TL	014109990000		8590341106872	63,100	0,403	16 430
22.5" 500/60-22.5		16PR	TR-08	TL	014110690000		8590341003676	73,600	0,636	17 600
500/60-22.5 IMP		165A8/153A8	TR-12	TL	014110910000		8590341106841	88,800	0,648	20 410
500/60-22.5 IND		152A8	TI-12	TL	014110930000		8590341106902	88,800	0,648	20 060
500/60-22.5 IMP		170A8/158A8	TR-12	TL	014111030000		8590341064608	89,400	0,648	20 780
550/60-22.5		16PR	TR-08	TL	014111610000		8590341003645	87,900	0,784	19 710



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
550/60-22.5		171A8	TR-08	TL	014111630000		8590341003638	92,100	0,784	20 540
600/40-22.5 IMP		161A8/149A8	TR-12	TL	014111760000		8590341106858	84,900	0,612	20 410
600/40-22.5 IND		169A8	TI -12	TL	014111880000		8590341107015	89,700	0,612	19 640
600/40-22.5 IMP		172A8/160A8	TR-12	TL	014111860000		8590341106865	89,700	0,612	22 060
600/50-22.5		16PR	TR-08	TL	014112990000		8590341003577	96,800	0,736	22 410
600/50-22.5		168A8	TR-08	TL	014113220000		8590341066916	101,400	0,839	23 350
24" 15.5/80-24 Reinf		14PR	TR-01	TL	013100940000		8590341004970	67,300	0,586	14 790
15.5/80-24		16PR	TD-10	TL	5001510586000		8590341096418	73,400	0,613	15 720
15.5/80-24		16PR	TR-01	TL	013101150000		8590341004949	72,700	0,586	15 840
15.5/80-24		163A8	TR-01	TL	013101130000		8590341004956	73,700	0,586	16 540
16.5/85-24		14PR	TD-10	TL	5001510687000		8590341095817	72,900	0,742	17 010
17.5L-24		10PR	TR-01	TL	013101700000		8590341004888	70,700	0,642	15 020
460/70-24 IND		159A8	TR-01	TL	013101930000		8590341045744	79,200	0,685	19 830
MPT/EM Radial (víceúčelové, stavební a nakladačové pneumatiky - radiální)										
18" 335/80R18		139B/151A2	EM-02	TL	2000043138101		8590341018687	45,800	0,334	13 610
335/80R18		132G	EM-02	TL	2000043144101		8590341018656	45,800	0,430	13 940
365/70R18		135B/146A2	EM-01	TL	2000043120101		8590341018700	54,600	0,338	15 320
405/70R18		141B/153A2	EM-01	TL	2000043100101		8590341018724	63,300	0,428	17 070
405/70R18		156B/168A2	EM-01	TL	2000043102101		8590341018717	63,300	0,428	17 370
20" 335/80R20		136B/147A2	EM-01	TL	2000043140101		8590341018670	58,100	0,369	16 010
335/80R20		139J	MPT-21	TL	2000043200101		8590341018601	58,100	0,369	16 890
335/80R20		147K	MPT-20	TL	2000043142101		8590341018663	59,100	0,371	17 870
365/80R20		141B/153A2	EM-01	TL	2000043128101		8590341018694	63,900	0,429	17 190
365/80R20		152K	MPT-20	TL	2000043215101		8590341018588	70,900	0,430	19 670
365/80R20		152J	MPT-21	TL	2000043210101		8590341018595	63,900	0,429	17 660
405/70R20		143B/155A2	EM-01	TL	2000043146101		8590341018649	68,300	0,471	18 240
405/70R20		152J	MPT-21	TL	2000043225101		8590341018564	68,300	0,471	19 300
12.00R20		176A5	FLR-01	TL	2000043948101		8590341070357	107,000	0,393	43 410
22.5" 275/90R22.5		153G/163A5	SRT2	TL	2000043409101		8590341103604	57,000	0,447	22 300
375/75R22.5		164J	MPT-23	TL	2000043217101		8590341066695	94,800	0,447	25 810
24" 405/70R24		146B/158A2	EM-01	TL	2000043150101		8590341018632	77,600	0,565	22 110
405/70R24		152J	MPT-21	TL	2000043230101		8590341018557	77,600	0,565	22 410
440/70R24		147B	EM-02	TL	014360810000		8590341003218	85,900	0,642	22 300
445/70R24		151G	MPT-22	TL	014360860000		8590341003201	89,300	0,709	24 520
25" 385/95R25		170F	CR-01	TL	2000043931101		8590341071125	163,000	0,710	59 250
445/95R25		174F	CR-01	TL	2000043932101		8590341044815	201,300	0,976	68 050
525/80R25		176F	CR-01	TL	2000043933101		8590341078438	218,000	1,153	70 560
MPT Diagonální (víceúčelové pneumatiky diagonální)										
18" 280/80-18	10.5-18	130B	MPT-01	TL	011301610000		8590341110923	29,000	0,192	6 670
280/80-18	10.5-18	140B	MPT-01	TL	011301780000		8590341110930	30,900	0,192	7 330
10.5-18		10PR/129D	MPT-02	TL	011301710000		8590341007063	29,200	0,196	7 620
340/80-18	12.5-18	132B	MPT-01	TL	011303450000		8590341110947	44,000	0,284	10 110
340/80-18	12.5-18	135B	MPT-01	TL	011304090000		8590341110954	44,300	0,284	10 510
340/80-18		145B	MPT-01	TL	011304210000		8590341110961	44,600	0,290	10 610
12.5-18		10PR/128G	MPT-03	TL	011303960000		8590341007001	44,600	0,290	11 320
12.5-18		12PR/131G	MPT-03	TL	011303980000		8590341006998	44,800	0,290	11 720
12.5-18		16PR/136G	MPT-03	TL	011304190000		8590341006905	45,000	0,290	12 230
19.5" 18-19.5		16PR/156B	MPT-02	TL	014201480000		8590341003560	69,100	0,472	17 430
18-19.5		16PR/156D	MPT-03	TL	014201500000		8590341003553	71,800	0,494	17 800
18-19.5		16PR/160A8	MPT-06	TL	014201730000		8590341003546	83,900	0,537	19 270
18-19.5		16PR/160A8	MPT-08	TL	5001514740000		8590341041333	93,100	0,546	19 480
20" 10.5-20		10PR/131D	MPT-04	TL	011304470000		8590341006875	32,800	0,228	8 380
10.5-20		10PR/128G	MPT-05	TL	011304930000		8590341006851	30,000	0,226	7 810



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
10.5-20		10PR/128G	MPT-07	TT	011305150000		8590341006844	30,300	0,215	7 860
340/80-20	12.5-20	133B	MPT-01	TL	011307930000		8590341110978	49,300	0,310	10 350
340/80-20	12.5-20	136B	MPT-01	TL	011309200000		8590341110985	49,400	0,310	10 660
12.5-20		10PR/129G	MPT-03	TL	011308640000		8590341006776	48,100	0,312	11 730
12.5-20		12PR/132G	MPT-03	TL	011310460000		8590341006691	48,300	0,312	12 020
12.5-20		12PR/132G	MPT-05	TL	011309530000		8590341006714	48,200	0,338	11 970
14.5-20		12PR/136G	MPT-03	TL	011313210000		8590341006578	56,400	0,387	13 240
14.5-20		12PR/136G	MPT-05	TL	011312750000		8590341006585	55,300	0,398	13 210
16/70-20		14PR/148D	MPT-02	TL	011319190000		8590341006509	57,300	0,431	13 330
16/70-20		14PR/145G	MPT-05	TL	011318270000		8590341006516	58,300	0,431	13 580
405/70-20		14PR/149B	MPT-01	TL	011319730000		8590341006486	65,500	0,427	14 870
405/70-20		14PR/145G	MPT-03	TL	011321170000		8590341006455	61,800	0,422	14 750
405/70-20		16PR/152B	MPT-01	TL	011323320000		8590341042040	65,500	0,427	15 110
24" 405/70-24		14PR/152B	MPT-01	TL	011322510000		8590341006448	78,100	0,503	17 950
EX Rypadla (pneumatiky pro exkavátory, rypadla)										
15" 9.5/65-15		6PR	COMP	TL	2000061186101		8590341089571	20,870	0,100	6 100
20" 8.25-20		14PR/122B	NB38	TT	012101010000		8590341006400	30,100	0,196	7 530
8.25-20		14PR/122B	NB38 EX ML	TT	012101470000		8590341006394	32,200	0,197	7 730
9.00-20		14PR/140B	NB38	TT	012101700000		8590341006370	37,700	0,231	9 010
9.00-20		14PR/140B	NB38EX	TT	012102160000		8590341006356	39,200	0,231	9 330
9.00-20		14PR/140B	EM-22	TT	012102300000		8590341006332	37,700	0,222	8 970
10.00-20		14PR/145B	NB38EX	TT	012102620000		8590341006318	46,700	0,290	10 440
10.00-20		16PR/146B	NB38EX	TT	012102890000		8590341064196	46,700	0,290	10 680
10.00-20		16PR/146B	EM-22	TT	012102680000		8590341006301	43,500	0,271	10 090
10.00-20		16PR/146B	EM-23	TT	012102700000		8590341006295	46,700	0,271	10 330
10.00-20		16PR/146B	NB38	TT	012102850000		8590341006271	43,700	0,277	10 120
11.00-20		16PR/148B	NB38	TT	012103310000		8590341006257	50,000	0,309	11 820
11.00-20		16PR/148B	EM-22	TT	012103380000		8590341048912	49,700	0,309	12 210
11.00-20		16PR/164A3	COMP	TT	012201020000		8590341006226	55,700	0,288	13 260
11.00-20		18PR/170A2	COMP.EX.	TT	012201240000		8590341006219	56,300	0,288	13 610
11.00-20		18PR/156A5	COMP.SM	TT	012201470000		8590341006202	68,400	0,288	15 550
11.00 R20		157A3	COMP	TT	2000043030101		8590341018748	61,500	0,337	16 800
13.00/80 R20		164A3	COMP	TT	2000043032101		8590341018731	60,300	0,356	16 500
24" 13.00-24		12PR/143A8	TG02	TL	014500920000		8590341003010	75,500	0,479	16 320
14.00-24		16PR/153A8	TG02	TL	014503680000		8590341003003	88,500	0,587	18 880
14.9-24 IND		8PR/128A8	UK-5	TL	5001510488000		8590341005021	57,200	0,617	13 490
16.9-24 IND		8PR/129B	UK-10	TL	5001514560000		8590341067111	65,800	0,756	14 610
26" 23.1-26 IND		10PR/158A8	UK5	TL	5001514840000	012401470000	8590341005427	130,800	1,241	31 910
23.1-26 IND		12PR/162A8	UK5	TL	012401700000		8590341005410	131,100	1,241	32 730
23.1-26 IND		12PR/162A8	UK-10	TL	5001514830000		8590341073747	124,600	1,143	27 340
EM (pneumatiky pro nakladače - diagonální)										
24" 20-24		12PR	EM-70	TL	012305040000		8590341005878	138,500	0,985	35 910
25" 15.5-25		12PR	EM-20	TL	012301940000		8590341006141	106,800	0,591	22 880
15.5-25		12PR	NB57	TL	012302160000		8590341006127	101,500	0,597	23 940
15.5-25		12PR	EM-60	TL	012302620000		8590341006080	98,400	0,587	22 750
15.5-25		12PR	EM-80	TL	012302680000		8590341066770	95,300	0,621	22 650
15.5-25		16PR	EM-80	TL	012302710000		8590341066787	96,100	0,621	23 700
17.5-25		12PR	EM-80	TL	012302780000		8590341066794	109,200	0,768	25 810
17.5-25		16PR	EM-80	TL	012304030000		8590341066800	109,900	0,768	27 210
17.5-25		16PR	EM-20	TL	012302860000		8590341006059	122,400	0,760	27 450
17.5-25		16PR	EM-30	TL	012303550000		8590341006035	128,400	0,760	28 160
17.5-25		16PR	EM-60	TL	012304000000		8590341006011	128,400	0,754	28 160
17.5-25		22PR	EM-20	TL	012304120000		8590341005984	137,100	0,760	31 090



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
17.5-25		22PR	EM-60	TL	012304140000		8590341036629	141,100	0,760	31 800
18.00-25		28PR	NB38	TL	012304230000		8590341005960	193,000	1,155	45 640
18.00-25		28PR	EM-30(NB57)	TL	012304470000		8590341005922	234,000	1,155	51 040
18.00-25		32PR	EM-30(NB57)	TL	012304500000		8590341080943	234,100	1,155	52 800
18.00-25		40PR	EM-30(NB57)	TL	012304810000		8590341080950	252,000	1,155	55 850
20.5-25		16PR	EM-20	TL	012305620000		8590341005861	165,100	1,116	36 600
20.5-25		16PR	EM-30	TL	012305850000		8590341005847	183,100	1,110	39 780
20.5-25		16PR	EM-60	TL	012305890000		8590341005823	178,100	1,110	38 940
20.5-25		20PR	EM-60	TL	012306060000		8590341005809	178,300	1,110	39 780
20.5-25		24PR	EM-60	TL	012306180000		8590341068972	179,500	1,110	41 290
23.5-25		16PR	EM-30	TL	012306770000		8590341005748	252,300	1,452	51 390
23.5-25		16PR	EM-60	TL	012307010000		8590341005724	240,300	1,492	50 340
23.5-25		20PR	EM-20	TL	012307230000		8590341005700	236,600	1,496	50 680
23.5-25		20PR	EM-30	TL	012307460000		8590341005694	257,600	1,492	54 310
23.5-25		20PR	EM-60	TL	012307910000		8590341005687	244,600	1,452	53 020
23.5-25		28PR	EM-20	TL	012307950000		8590341005656	255,300	1,496	56 310
23.5-25		28PR	EM-30	TL	012307970000		8590341005649	277,300	1,492	60 300
23.5-25		28PR	EM-60	TL	012307990000		8590341005632	265,300	1,452	58 770
26.5-25		28PR	EM-60	TL	012308390000		8590341005564	345,800	1,929	78 010
26.5-25		28PR	EM-30	TL	012308380000		8590341005571	365,800	1,960	79 780
26.5-25		32PR	EM-60	TL	012308450000		8590341005502	346,000	1,929	80 960
26.5-25		32PR	EM-30	TL	012308410000		8590341005540	367,400	1,964	82 120
26.5-29		26PR	NB57	TL	012308830000		8590341005458	403,700	2,259	91 280
SK (pneumatiky pro smykem řízené nakladače)										
12"	23x8.5 -12	6PR/99A4	SK-02	TL	200006103510		8590341017758	9,290	0,070	2 390
	23x8.5 -12	10PR/115A4	SK-02	TL	200006103710		8590341017741	9,770	0,070	2 510
15"	27x8.5 -15	6PR/99A4	SK-02	TL	200006105510		8590341017666	12,150	0,090	3 110
	27x8.5 -15	8PR/111A4	SK-02	TL	200006105410		8590341063656	13,060	0,090	3 340
	27x10.5 -15	8PR/120A2	SK-02	TL	200006105610		8590341061430	17,200	0,090	3 870
	31x15.5-15	8PR/119A4	SK-02	TL	014101010000		8590341078889	36,200	0,219	7 860
15.3"	10.0/75-15.3	10PR/127A6	SK-01	TT	200006127610		8590341003898	19,300	0,160	4 270
	10.0/75-15.3	10PR/127A6	SK-01	TL	200006127710		8590341017079	20,850	0,160	4 580
16.5"	10 -16.5	8PR/131A3	SK-02	TL	500151468000	014106990000	8590341003850	24,800	0,142	5 440
	10 -16.5	8PR/131A3	BIG BOY	TL	500151071000		8590341065964	28,900	0,161	5 570
	10 -16.5	10PR/135A3	SK-02	TL	500151470000		8590341110725	25,200	0,142	4 490
	10 -16.5	10PR/135A3	SK-05	TL	500151475000		8590341071514	35,800	0,171	7 030
	12 -16.5	10PR/140A3	SK-02	TL	500151469000		8590341003843	31,600	0,184	6 840
	12 -16.5	10PR/140A3	BIG BOY	TL	500151080000		8590341066367	38,200	0,211	7 330
	12 -16.5	12PR/144A3	SK-02	TL	500151471000		8590341110732	30,500	0,184	5 560
	12 -16.5	12PR/144A3	SK-05	TL	500151476000		8590341071521	45,000	0,211	8 220
	12 -16.5	12PR/144A3	BIG BOY	TL	500151081000		8590341065971	39,400	0,211	7 620
	12 -16.5	14PR/147A3	BIG BOY	TL	500151082000		8590341065988	39,700	0,211	7 920
17.5"	14-17.5 IND	14PR/139B	TR-10	TL	014108020000		8590341106889	36,600	0,263	7 430
18"	10.5/80-18	10PR/115A8	BIG BOY	TL	500151090000		8590341065995	36,700	0,225	7 390
	12.5/80-18	14PR/128A8	BIG BOY	TL	500151094000		8590341066015	50,500	0,301	9 970
FL - Pneumatiky pro vysokozdvizné vozíky										
8"	4.00-8	6PR/90A5	FL-03	TT	200007202110		8590341016331	3,130	0,020	1 220
	4.00-8	8PR/94A5	FL-03	TT	200007202510		8590341016300	3,160	0,020	1 260
	4.00-8	10PR/97A5	FL-03	TT	200007202610		8590341016294	3,240	0,020	1 310
	4.00-8	8PR/64A5	FL-08	TT	200007201910		8590341016362	3,950	0,020	1 530
	4.00-8	10PR/97A5	FL-08	TT	200007202010		8590341016355	4,030	0,020	1 580
	5.00-8	8PR/106A5	FL-01	TT	200007210010		8590341016157	3,940	0,030	1 330
	5.00-8	8PR/106A5	FL-03	TT	200007202710		8590341016270	3,940	0,020	1 490



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
5.00-8		8PR/106A5	FL-08	TT	200007232010		8590341015990	4,950	0,030	1 640
16X6-8		16PR/113A5	FL-08	TT	200007279210		8590341041722	5,580	0,030	1 840
18X7-8		14PR/121A5	FL-08	TT	200007221810		8590341033130	7,610	0,040	2 080
18X7-8		16PR/125A5	FL-08	TT	200007222210		8590341033123	7,770	0,040	2 100
9" 6.00-9		10PR/118A5	FL-01	TT	200007203210		8590341016249	6,830	0,050	2 020
6.00-9		10PR/118A5	FL-02	TT	200007203310		8590341016225	6,770	0,050	2 090
6.00-9		10PR/118A5	FL-08	TT	200007232610		8590341015983	7,890	0,050	2 120
6.00-9		12PR/121A5	FL-01	TT	200007261110		8590341015907	7,020	0,050	2 040
6.00-9		12PR/121A5	FL-02	TT	200007260110		8590341015914	6,880	0,050	2 110
6.00-9		12PR/121A5	FL-08	TT	200007232810		8590341015976	7,890	0,050	2 200
21X8-9		16PR/134A5	FL-08	TT	200007225610		8590341041746	11,140	0,060	3 040
10" 6.50-10		10PR/122A5	FL-01	TT	200007204810		8590341016195	8,640	0,060	2 330
6.50-10		10PR/122A5	FL-02	TT	200007204110		8590341016201	8,240	0,060	2 450
6.50-10		10PR/122A5	FL-08	TT	200007233610		8590341015969	9,980	0,060	2 540
6.50-10		12PR/125A5	FL-01	TT	200007263110		8590341015877	8,660	0,060	2 420
6.50-10		12PR/125A5	FL-02	TT	200007262110		8590341015884	8,470	0,060	2 490
6.50-10		12PR/125A5	FL-08	TT	200007233810		8590341015952	9,980	0,060	2 610
6.50-10		14PR/128A5	FL-08	TT	200007234010		8590341037213	9,980	0,053	2 720
23X9-10		20PR/142A5	FL-08	TT	200007227610		8590341037510	14,040	0,050	3 770
12" 7.00-12		12PR/133A5	FL-01	TT	200007206410		8590341016164	13,220	0,090	3 060
7.00-12		12PR/133A5	FL-02	TT	200007205310		8590341016171	11,530	0,090	3 030
7.00-12		12PR/133A5	FL-08	TT	200007234610		8590341015945	13,730	0,090	3 180
7.00-12		14PR/134A5	FL-01	TT	200007265110		8590341015846	12,820	0,090	3 080
7.00-12		14PR/134A5	FL-02	TT	200007264110		8590341015853	11,250	0,090	3 060
7.00-12		14PR/134A5	FL-08	TT	200007234810		8590341015938	13,730	0,090	3 280
7.00-12		16PR/136A5	FL-08	TT	200007235010		8590341037220	15,500	0,080	3 770
250/75-12		14PR/143A5	FL-08	TT	200007285010		8590341047236	21,200	0,080	4 710
250/75-12		16PR/146A5	FL-08	TT	200007285210		8590341047243	21,650	0,080	4 840
250/75-12		20PR/152A5	FL-08	TT	200007285410		8590341037695	22,100	0,080	4 910
13" 23X5		6PR/113A5	FL-07	TT	200006100710		8590341017918	6,810	0,070	1 980
23X5		10PR/121A5	FL-07	TT	200006100510		8590341017932	8,110	0,070	2 290
23X5		6PR	FL-05	TT	200007200910		8590341016416	7,120	0,070	1 980
23X5		10PR	FL-05	TT	200007201710		8590341016386	8,370	0,070	2 290
15" 7.50-15		14PR/144A5	FL-08	TT	200007230210		8590341033116	25,200	0,090	5 370
7.50-15		16PR/146A5	FL-08	TT	200007231210		8590341033109	25,200	0,090	5 480
8.15-15		14PR/146A5	FL-04	TT	200007211510		8590341016133	19,800	0,120	4 730
8.15-15		14PR/146A5	FL-08	TT	200007212110		8590341016119	19,100	0,110	4 780
8.25-15		14PR/149A5	FL-06	TT	200007214010		8590341016102	19,800	0,180	4 990
8.25-15		18PR/153A5	FL-08	TT	200007273310		8590341015686	32,300	0,180	7 120
250-15		18PR/153A5	FL-08	TT	200007294210		8590341037534	26,500	0,095	5 800
300-15	315/70-15	22PR/165A5	FL-08	TT	200007276410		8590341040114	36,300	0,140	8 710
Nákladní pneumatiky - radiální										
20" 6.50R20		10PR	NR36	TL	200004301210		8590341018755	25,800	0,134	8 150
6.50R20		10PR	NR21	TL	200004301010		8590341018779	25,800	0,134	8 150
Nákladní pneumatiky - diagonální										
16" 7.50-16		10PR	NB60 SATIM	TT	200004109110		8590341018922	16,700	0,130	3 660
7.50-16		10PR	NB60 SATIM	TL	200004109010		8590341018939	18,000	0,130	3 990
7.50-16		12PR	NB60 SATIM	TT	200004110510		8590341018885	17,000	0,130	3 890
7.50-16		10PR	CT-06 SATIM	TT	200004110110		8590341018908	16,000	0,130	3 900
7.50-16		10PR	CT-06 SATIM	TL	200004110010		8590341018915	17,500	0,130	4 150
7.50-16		10PR	NB37 SATIM	TT	200004107510		8590341049124	15,800	0,130	4 160
20" 6.50-20		10PR	NB37	TT	200004112010		8590341049117	17,400	0,130	4 390
6.50-20		10PR	NB60	TT	200004112510		8590341018854	16,400	0,130	4 020



Platnost od 1.3.2019

Rozměr	původní značení / pozn	PR, LI, SS	Dezén	TT/TL	Kód pro objednávání	Kód II.	EAN kód	Hmotnost (kg)	Objem (m ³)	MOC Kč/ks bez DPH od 1.3.2019
6.50-20		10PR	NB60	TL	2000041135101		8590341018830	17,800	0,130	4 390
6.50-20		10PR	NB62	TL	2000041010101		8590341062536	18,800	0,160	4 640
8.25-20		10PR	NT8	TT	011201490000		8590341007490	29,000	0,189	7 190
8.25-20		14PR	NB41	TT	011201700000		8590341007476	30,000	0,190	6 960
8.25-20		14PR	NB59	TT	011202160000		8590341007452	30,000	0,191	6 960
8.25-20		14PR	NB60	TT	011202410000		8590341007421	29,300	0,190	6 960
9.00-20		14PR	NB41	TT	011202850000		8590341007414	36,100	0,225	8 270
9.00-20		14PR	NB59	TT	011203080000		8590341007391	34,300	0,227	7 830
9.00-20		14PR	NB60	TT	011203560000		8590341007360	34,600	0,225	7 900
10.00-20		16PR	NB41	TT	011204690000		8590341007346	42,400	0,271	9 310
10.00-20		16PR	NB59	TT	011204940000		8590341007322	41,200	0,273	9 190
10.00-20 Reinf.		18PR	NB59	TT	011205630000		8590341041418	46,400	0,273	9 730
10.00-20		16PR	NB60	TT	011205380000		8590341007292	38,900	0,269	8 940
11.00-20		16PR	NB41	TT	011206090000		8590341007261	47,000	0,296	10 000
11.00-20		16PR	NB59	TT	011206320000		8590341007230	45,600	0,299	9 790
11.00-20		16PR	NB60	TT	011206550000		8590341007216	44,500	0,295	9 670
11.00-20		16PR	NT9	TT	011206780000		8590341007193	45,700	0,299	10 010
12.00-20		18PR	NB59	TT	011207010000		8590341007162	54,900	0,332	11 890
12.00-20		18PR	NB60	TT	011207240000		8590341007124	53,200	0,332	11 890
CT-Transport (Multicar)										
13"	6.70-13	6PR	CT-01	TT	2000041012101		8590341018991	7,550	0,070	2 470
	6.70-13	6PR	CT-02	TT	2000041015101		8590341018984	8,550	0,070	2 470
ST - Pneumatiky pro rolby a zimní techniku										
12"	5.50-12	10PR	ST	TT	2000052011101		8590341018496	7,270	0,040	2 880
13"	6.00-13	10PR	ST	TT	2000052013101		8590341018489	8,560	0,050	3 060
14"	6.30-14	10PR	ST	TT	2000052019101		8590341018472	12,910	0,060	4 740

Vysvětlivky: LI = index nosnosti

SS = symbol rychlosti

TL = bezdušové provedení

TT = dušové provedení

Reinf. = zesílené provedení

S116 = tvrdší typ směsi

Změna cen vyhrazena.